

# Table of Contents

**System status**

Introduction

Operation

YCE Server setup

Database status

Filesystems

Process list

YCE usage

Wiki updates

3

3

3

5

11

16

16

17

18



# System status

## Introduction

This tool reports on the user-selected YCE server and includes details on its setup, the various daemons and processes and some additional details. The System status tool will also allow users to stop and start the YCE daemons.

The tool is accessible for any user with the global ‘Manager’ permissions and is located in the Admin menu by the name “System”.

The report is divided into six sections:

- YCE Server setup
- YCE processes
- Database status
- Filesystems
- YCE process list
- YCE usage

Each of these sections lists some relevant details on the YCE server selected.

## Operation

When the tool is initially started, a header list is shown with the various YCE servers along with their details. The server name forms a button to select the server to report on. The default server selected is always the current (front-end) server the user is working on. To highlight the current selected server, the background color for this server details is a lighter blue.

## Server status

Functional user - Yce exchange api (System) of NetYCE

Name	Domain	IP-address	Database	Front-end	Primary-db	Secondary-db
kunoichi	netyce.org	192.168.56.103	id=2	y	kunoichi	shinobi
shinobi	netyce.org	192.168.56.102	id=1	y	shinobi	kunoichi

Following the header is a line with connection details to illustrate the connection status to the selected server. The connection uses the ‘Yce exchange service’ that is normally active on all YCE servers.

When the connection succeeds, the connection line is followed by the report, each section preceded by a bold header. Subsections are preceded by a header in blue text.

# Server status

Functional user - Yce exchange api (System) of NetYCE

Name	Domain	IP-address	Database	Front-end	Primary-db	Secondary-db
<div>kunoichi</div>	netyce.org	192.168.56.103	id=2	y	kunoichi	shinobi
<div>shinobi</div>	netyce.org	192.168.56.102	id=1	y	shinobi	kunoichi

☐ Full report

Connecting to xch service of server 'shinobi'. Executing on 'shinobi' .....

**YCE server: 'shinobi'**

YCE Server overview:

Name	Domain	IP-address	Database	Front-end	Primary-db	Secondary-db
-----	-----	-----	-----	-----	-----	-----
kunoichi	netyce.org	192.168.56.103	id=2	y	kunoichi	shinobi
shinobi	netyce.org	192.168.56.102	id=1	y	shinobi	kunoichi

This server

Host name: shinobi.netyce.org  
Short name: shinobi  
IP-address: 192.168.56.102  
OS: 2.6.32-431.3.1.el6.x86\_64 x86\_64 x86\_64 x86\_64 GNU/Linux  
Uptime: 2014-58-31 11:58:21 up 1 day, 22:41, 6 users, load average: 0.08, 0.04, 0.01

YCE Processes

Process: yce\_psmon

OK: process matches pidfile (4238)  
OK: processes running: 1 / 1

Stop yce\_psmon

Process: mysqld

OK: process matches pidfile (7154)  
OK: processes running: 2 / 1

Set ignore flag

Stop mysqld

Process: httpd

OK: processes running: 9 / 50

Set ignore flag

Stop httpd

Process: yce\_skulker.pl

OK: process matches pidfile (4780)  
OK: processes running: 1 / 1

Set ignore flag

Stop yce\_skulker.pl

Each section is described in the following paragraphs.

## Connection details

The line with connection details informs the user of the status of his request. All requests are issued over the YCE exchange interface, an xml based synchronous request-response system between all YCE servers.

The process serving this interface (yce\_xch) is therefore a prerequisite for both the system report and its actions. The connection details line informs the user on the availability and connectivity of the yce\_xch service.

When the service or server cannot be reached, the connection line shows this status:

Name	Domain	IP-address	Database	Front-end	Primary-db	Secondary-db
kunoichi	netyce.org	192.168.56.103	id=2	y	kunoichi	shinobi
shinobi	netyce.org	192.168.56.102	id=1	y	shinobi	kunoichi

☐ Full report

Connecting to xch service of server 'shinobi'. Executing on 'shinobi' ...

Aborted, data transfer failed, please retry

Connecting to xch service of server 'shinobi'. Connect failed: Connection refused. Cannot reach xch at 192.168.56.102:8888

When performing actions (using the buttons embedded in the report), the action is executed using the same method of connecting, executing and reporting. When done, the system status report is requested automatically and appended.

Name	Domain	IP-address	Database	Front-end	Primary-db	Secondary-db
kunoichi	netyce.org	192.168.56.103	id=2	y	kunoichi	shinobi
shinobi	netyce.org	192.168.56.102	id=1	y	shinobi	kunoichi

☐ Full report

Connecting to xch service of server 'kunoichi'. Executing on 'kunoichi' .

Perform 'Remove ignore flag' on 'kunoichi'

Execute command 'rm /opt/yce/etc/ignore\_mysql'  
Done

Connecting to xch service of server 'kunoichi'. Executing on 'kunoichi' .

YCE server: 'kunoichi'

YCE Server overview:

Name	Domain	IP-address	Database	Front-end	Primary-db	Secondary-db
----	-----	-----	-----	-----	-----	-----
kunoichi	netyce.org	192.168.56.103	id=1	y	kunoichi	shinobi
shinobi	netyce.org	192.168.56.102	id=2	y	shinobi	kunoichi

This server

Host name: kunoichi.netyce.org  
Short name: kunoichi  
IP-address: 192.168.56.103  
OS: 2.6.18-371.3.1.el5 x86\_64 x86\_64 GNU/Linux  
Uptime: 2014-13-31 12:13:34 up 2 days, 17:35, 0 users, load average: 0.00, 0.00, 0.00

## YCE Server setup

The first section in the report has two subsections: the server overview and the current server details.

### YCE overview

**YCE server: 'kunoichi'****YCE Server overview:**

Name	Domain	IP-address	Database	Front-end	Primary-db	Secondary-db
-----	-----	-----	-----	-----	-----	-----
kunoichi	netyce.org	192.168.56.103	id=1	y	kunoichi	shinobi
shinobi	netyce.org	192.168.56.102	id=2	y	shinobi	kunoichi

**This server**

```
Host name: kunoichi.netyce.org
Short name: kunoichi
IP-address: 192.168.56.103
OS: 2.6.18-371.3.1.el5 x86_64 x86_64 x86_64 GNU/Linux
Uptime: 2014-13-31 12:13:34 up 2 days, 17:35, 0 users, load average: 0.00, 0.00, 0.00
```

The server overview should correspond to the header of the page. In fact, it will match exactly for the local server (the front-end server the user is using) since they are both taken from the same source: the yce configuration file for the server `/opt/yce/etc/<hostname>_yce.conf`.

This file is created by the setup tool during system configuration `/opt/yce/system/mk_config.pl` and should be updated when configuration changes are made in the YCE server setup (hostname, ip-address, servers, roles). This setup tool can create the config files for all servers simultaneously, but it can also be executed on each system in turn.

It is essential however, that all servers have the same 'view' of the YCE environment. If the page header shows a different setup than the report, the configuration setup should be corrected for the erroneous server, or preferably all servers.

Keep in mind that the page header is taken from the local server configuration file.

**This server**

This subsection shows the hostname, short name and ip-address of the server as retrieved using the `hostname` command using the options `-f`, `-s` and `-i` sequentially. The system uses these results in various places and should be correct.

One line describes the (Linux Red Hat) OS. The output of the command `uname -rmpoi` is shown.

The final line in this section is the output from the `uptime` command. It lists the current date, time and up-time along with the number of user sessions (shell logons) and load averages. These load averages are an indication of how busy the server was over the last 1, 5, and 15 minutes. These numbers give the average number of processes waiting for execution. Numbers exceeding the number of processors normally indicate the system might be perceived as slow to respond.

**YCE processes**

This section will probably be the most consulted section since it will validate the running YCE daemons. The report uses a subsection per daemon to show its status, its matching pid-file (for locking purposes) and the number of childs included with the daemon. Each line is preceded by a validation remark: `OK:`, `WARN:`, or `ERROR:` in appropriate colors.

In addition to the status lines, buttons can be shown to manipulate its operation.

**YCE Processes****Process: yce\_psmon.pl**

OK: pidfile exists (2148)  
 OK: process matches pidfile (2148)  
 OK: processes running: 1 / 1

**Process: mysqld**

OK: pidfile exists (21073)  
 OK: process matches pidfile (21073)  
 OK: processes running: 2 / 1


**Process: httpd**

OK: pidfile exists (2598)  
 OK: process matches pidfile (2598)  
 OK: processes running: 5 / 50


**Process: yce\_skulker.pl**

OK: pidfile exists (2447)  
 OK: process matches pidfile (2447)  
 OK: processes running: 1 / 1


**Process: yce\_sched.pl**

OK: processes running: 1 / 1


**Process: yce\_tftpd.pl**

OK: processes running: 1 / 200


**Process: yce\_xch.pl**

OK: processes running: 2 / 30


**YCE daemon configuration**

Before elaborating on the action these buttons represent, some background information is required on the configuration of the YCE daemons.

When the configuration setup script is executed `/opt/yce/system/mk_config.pl`, it collects, amongst others, from the user the role of each YCE server. A server can either be a front-end server or a database server. Up to two database servers and seven front-end servers can be configured. Each requiring a primary and secondary database source.

When completed, configuration files for all servers are generated. Amongst these configuration files some are named `<hostname>_psmon.conf`. The `psmon.conf` file with the matching hostname defines the YCE daemons that will be required for that server in its defined role.

It is this configuration file that is being used to determine the YCE daemon statuses.

**hostname\_psmon.conf file**

```
# YCE psmon configuration
#
#-----
# filename: 'shinobi_psmon.conf'
# PSmon config for 'shinobi.netyce.org'
#
#
```

```
# YCE Server overview:
# Name          Domain          IP-address      Database Front-end
Primary-db      Secondary-db
# ----          -
# kunoichi      netyce.org        192.168.56.103  id=2    y
kunoichi        shinobi
# shinobi       netyce.org        192.168.56.102  id=1    y
shinobi         kunoichi

#
# File created by 'mk_config.pl' at 2013-12-06 15:21:47 on
'shinobi.netyce.org'
#-----
#
<Process mysqld>
  disabled      false
  ignoreflag    /opt/yce/etc/ignore_mysql
  spawncommand  /usr/bin/sudo /sbin/service mysql start
  killcommand   /usr/bin/sudo /sbin/service mysql stop
  pidfile       /var/opt/mysql/mysql.pid
  instances     1
  pctcpu        90
  noemail       False
</Process>
<Process httpd>
  disabled      false
  ignoreflag    /opt/yce/etc/ignore_httpd
  spawncommand  /usr/bin/sudo /sbin/service httpd start
  killcommand   /usr/bin/sudo /sbin/service httpd stop
  pidfile       /var/run/httpd/httpd.pid
  instances     50
  pctcpu        90
  noemail       False
</Process>
<Process yce_skulker.pl>
  disabled      false
  ignoreflag    /opt/yce/etc/ignore_skulker
  spawncommand  /opt/yce/system/init/yce_skulker start
  killcommand   /opt/yce/system/init/yce_skulker stop
  pidfile       /var/opt/yce/logs/yce_skulker.pid
  instances     1
  pctcpu        90
  noemail       False
</Process>
<Process yce_sched.pl>
  disabled      false
  ignoreflag    /opt/yce/etc/ignore_sched
  spawncommand  /opt/yce/system/init/yce_sched start
  killcommand   /opt/yce/system/init/yce_sched stop
  instances     1
```



```

    pctcpu      90
    noemail     False
</Process>
<Process yce_tftpd.pl>
    disabled    false
    ignoreflag  /opt/yce/etc/ignore_tftpd
    spawncmd    /usr/bin/sudo /opt/yce/system/init/yce_tftp start
    killcmd     /usr/bin/sudo /opt/yce/system/init/yce_tftp stop
    instances   200
    pctcpu      90
    noemail     False
</Process>
<Process yce_xch.pl>
    disabled    false
    ignoreflag  /opt/yce/etc/ignore_xch
    spawncmd    /opt/yce/system/init/yce_xch start
    killcmd     /opt/yce/system/init/yce_xch stop
    instances   30
    pctcpu      90
    noemail     False
</Process>
<Process yce_ibd.pl>
    disabled    true
    ignoreflag  /opt/yce/etc/ignore_ibd
    spawncmd    /opt/yce/system/init/yce_ibd start
    killcmd     /opt/yce/system/init/yce_ibd stop
    instances   1
    pctcpu      90
    noemail     False
</Process>

Frequency      20
Disabled       False
AdminEmail     yce@localhost

```

The syntax of the file is straightforward. Xml-style process definitions with several attribute / value pairs. YCE processes not required for the server role have the `disabled` attribute set to `true`. Other attributes define the start and stop commands, the location of a pid-file, if any, and the name and location of an ignoreflag.

More on these ignore-flags in a moment. First you will need to understand how this file is used by the service manager: the `psmon-daemon`.

## Service manager

At system startup the YCE service manager `/opt/yce/bin/yce_psmon` is started (as root!). It reads the YCE daemon configuration file `/opt/yce/etc/<hostname>_psmon.conf` and launches any required daemon not yet running. The `spawncmd` attributes tell it how. From that moment on, the `psmon-daemon` will wake up every 20 seconds (the 'frequency' attribute) and verify all daemons

operate within their parameters (pctcpu, instances, pidfile).

When needed a process is restarted automatically or taken down if misbehaving. Essentially, the psmon-daemon is the YCE service manager of the server.

To ensure the psmon-daemon is permanently running, it is added to the 'root's crontab to relaunch it every hour.

### **Ignore flags**

For maintenance purposes a process must be temporary stopped before restarted. To prevent the restart to take place before the user or maintenance task is ready, the service manager needs to be informed that a process should not be monitored. This is achieved by setting an ignore-flag for the appropriate process.

While this ignore-flag exists, the service manager will not touch this process or its siblings. When the daemon dies, it is not automatically relaunched. The various ignore-flag files are all located in the /opt/yce/etc/ directory and are named ignore\_<process>.

The standard procedure for maintenance on an YCE daemon is therefore: create the ignore-flag file, stop the daemon, perform the maintenance task, remove the ignore-flag. The service manager will then start the daemon automatically within the next 20 seconds.

If a daemon must be restarted without additional maintenance tasks, it suffices to stop the daemon and wait a few seconds to make it come back.

To facilitate these procedures, the YCE processes report includes buttons to Set or Remove the ignore flag per daemon. Once set, the report will list a warning for its presence.

### **Notes on process operations**

Some actions provided by the buttons in this section have limitations or repercussions. Those are listed below.

#### **yce\_tftp**

The YCE tftp daemon serves its users on port 69. It requires 'root' privileges to be able to bind to these low port-numbers. Therefore, stopping the yce\_tftp process is executed as expected when using the provided button, but it cannot be started that way!

Using the button Start yce\_tftp will not have the desired effect since it will execute the command as the 'yce' user, not 'root'. To start the yce\_tftp server, you have to rely on the service manager.

To restart the yce\_tftp processes, use the Stop button and then wait for it to come back.

#### **yce\_xch**

The yce\_xch daemon is used as a north-bound interface for NMS systems, but also for inter-server tasks of the YCE system itself. One of these is the execution of the system status report and its additional actions. The yce\_xch daemon must be running in order to execute these tasks, even when running on the local server!

Setting the yce\_xch ignore-flag and then killing the yce\_xch daemon will remove this server from remote management using this tool. Only by removing the ignore flag using a shell session can the situation be corrected.

## Database status

The Database status section has four subsections.

### DSN

The first, lists the current data source name (DSN) as used by the server. It contains amongst others the IP-address of the database server. The DSN is read from the file `/var/opt/yce/jobs/DSN.dat`, which is maintained by the yce\_skulker daemon.

The yce\_skulker is tasked with the monitoring of the database availability and synchronization status of the YCE master/master database setup. When the primary database fails, it updates the DSN to the secondary within 10 seconds or at the first database-request. On the return of the primary database, the automatic re-synchronization is monitored, and once completed, the DSN restored to the primary as well.

### Replication status

The lines in this subsection tell the status of the master/master database replications. Both databases are master to the other and slave as well. Replication is configured on the database directly. If it is configured, various details on which databases are included or excluded are listed.

The status of the IO state and SQL state are given separately, but both need to be running to get an active replication status. Additional information is listed when failure is detected and can include the offending SQL statement in case of a replication conflict.

## Database status

### DSN

**OK:** Current DSN = DBI:mysql:YCE;host=192.168.56.102;mysql\_compression=1  
Current database server is 192.168.56.102 (shinobi.netyce.org)

### YCE replication status

**OK:** Replication operational  
**OK:** Replication up-to-date  
Remote database: 192.168.56.103 (kunoichi.netyce.org)  
Replicating databases: YCE,NMS  
Ignoring databases: mysql,alerts  
**OK:** Slave IO Running: Yes  
Slave IO State: Waiting for master to send event  
**OK:** Slave SQL Running: Yes

### YCE database sync status

192.168.56.102 (shinobi.netyce.org): Primary, Active  
192.168.56.103 (kunoichi.netyce.org): Secondary

### YCE License status

**OK:** expire\_date: Current date 20140131 matches expire licence 20150101  
**OK:** modeled\_nodes: Current node count 240 matches node license UnLim  
**OK:** modeled\_ports: Current port count 6331 matches port license UnLim  
**OK:** version\_mask: Current version 5.3.2 matches version license 5

## Database sync status

The database sync status gives the result of the yce\_skulker interpretation of its continuous synchronization tests. It lists the primary and standby database IP-addresses and which of these is the current active database for this server.

## License status

YCE licenses come in two varieties, the package licenses and the activation licenses. The latter are listed here along with their status as monitored by the yce\_skulker.

## Sample database states

When either database can be up, down, active or inactive, tracing the corrective action can be confusing. The example below clarifies the messages listed when one database is down and the other operational.

In this example the primary database for the 'shinobi' server is brought down (eg for backup purposes). This causes 'shinobi' to switch to the database on 'kunoichi', which lost its master and gets out of sync.

Step 0: all's well Shinobi's status:

**Database status****DSN**

**OK:** Current DSN = DBI:mysql:YCE;host=192.168.56.102;mysql\_compression=1  
 Current database server is 192.168.56.102 (shinobi.netyce.org)

**YCE replication status**

**OK:** Replication operational  
**OK:** Replication up-to-date  
 Remote database: 192.168.56.103 (kunoichi.netyce.org)  
 Replicating databases: YCE,NMS  
 Ignoring databases: mysql,alerts  
**OK:** Slave IO Running: Yes  
 Slave IO State: Waiting for master to send event  
**OK:** Slave SQL Running: Yes

**YCE database sync status**

192.168.56.102 (shinobi.netyce.org): Primary, Active  
 192.168.56.103 (kunoichi.netyce.org): Secondary

Kunoichi's status:

**Database status****DSN**

**OK:** Current DSN = DBI:mysql:YCE;host=192.168.56.103;mysql\_compression=1  
 Current database server is 192.168.56.103 (kunoichi.netyce.org)

**YCE replication status**

**OK:** Replication operational  
**OK:** Replication up-to-date  
 Remote database: 192.168.56.102 (shinobi.netyce.org)  
 Replicating databases: YCE,NMS  
 Ignoring databases: mysql,alerts  
**OK:** Slave IO Running: Yes  
 Slave IO State: Waiting for master to send event  
**OK:** Slave SQL Running: Yes

**YCE database sync status**

192.168.56.102 (shinobi.netyce.org): Secondary  
 192.168.56.103 (kunoichi.netyce.org): Primary, Active

Step 1: stop 'shinobi' database Set the ignore-flag,

**Perform 'Set ignore flag' on 'shinobi'**

Execute command 'touch /opt/yce/etc/ignore\_mysql'

Done

Connecting to xch service of server 'shinobi'. Executing on 'shinobi' .

Then stop the mysql database

**Perform 'Stop mysql' on 'shinobi'**

Execute command '/usr/bin/sudo /sbin/service mysql stop'

Shutting down MySQL..... SUCCESS!

Done

You get an error because the database cannot verify you are a valid user for the system status report. The database is gone and the switch has not yet occurred.

Request the report again from 'shinobi'. The processes show the missing mysql database process:

```
Process: mysqld
WARN: ignoreflag exists!
ERROR: pidfile missing!
ERROR: process not running
```

The database status on 'shinobi' shows it runs on 'kunoichi' now.

### Database status

#### DSN

```
OK: Current DSN = DBI:mysql:YCE;host=192.168.56.103;mysql_compression=1
Current database server is 192.168.56.103 (kunoichi.netyce.org)
```

#### YCE replication status

```
ERROR: Mysql not running, cannot verify replication status
```

Step 2: review 'kunoichi' database Request the report for 'kunoichi'. It shows a database replication status with errors:

### Database status

#### DSN

```
OK: Current DSN = DBI:mysql:YCE;host=192.168.56.103;mysql_compression=1
Current database server is 192.168.56.103 (kunoichi.netyce.org)
```

#### YCE replication status

```
ERROR: Replication halted
ERROR: Replication is not up-to-date
Remote database: 192.168.56.102 (shinobi.netyce.org)
Replicating databases: YCE,NMS
Ignoring databases: mysql,alerts
ERROR: Slave IO Running: Connecting
Last IO Error: error reconnecting to master 'replication@192.168.56.102:3306' - retry-time 60 retries 5
Slave IO State: Reconnecting after a failed master event read
OK: Slave SQL Running: Yes
```

#### YCE database sync status

```
192.168.56.102 (shinobi.netyce.org): Secondary
192.168.56.103 (kunoichi.netyce.org): Primary, Active
```

The first error alerts that the replication was halted. Its remote, 'shinobi' failed. The problem seems to be IO since it is in the 'connecting' state. The detailed message indicates that the connection to the master failed but is in retry mode. No error messages on the SQL state since the problem does not relate to it. If it was, additional messages on the SQL cause would be given.

Step 3: restore 'shinobi' database Remove the ignore-flag for mysqld or start the database directly.

### Perform 'Start mysqld' on 'shinobi'

```
Execute command '/usr/bin/sudo /sbin/service mysql start'
```

```
Starting MySQL. SUCCESS!
Done
```

If you leave the ignore-flag, the warning will persist.

#### Process: mysqld

```
WARN: ignoreflag exists!
OK: process matches pidfile (23794)
OK: processes running: 2 / 1
```

Immediately the master/slave connections on the IO and SQL levels are reestablished. The active

database for 'shinobi' remains 'kunoichi' however. Shinobi status:

**Database status**

DSN

OK: Current DSN = DBI:mysql:YCE;host=192.168.56.102;mysql\_compression=1  
Current database server is 192.168.56.102 (shinobi.netyce.org)

YCE replication status

OK: Replication operational  
OK: Replication up-to-date  
Remote database: 192.168.56.103 (kunoichi.netyce.org)  
Replicating databases: YCE,NMS  
Ignoring databases: mysql,alerts  
OK: Slave IO Running: Yes  
Slave IO State: Waiting for master to send event  
OK: Slave SQL Running: Yes

Stop replication Slave

YCE database sync status

192.168.56.102 (shinobi.netyce.org): Primary, Active  
192.168.56.103 (kunoichi.netyce.org): Secondary

Kunoichi status:

**Database status**

DSN

OK: Current DSN = DBI:mysql:YCE;host=192.168.56.103;mysql\_compression=1  
Current database server is 192.168.56.103 (kunoichi.netyce.org)

YCE replication status

OK: Replication operational  
OK: Replication up-to-date  
Remote database: 192.168.56.102 (shinobi.netyce.org)  
Replicating databases: YCE,NMS  
Ignoring databases: mysql,alerts  
OK: Slave IO Running: Yes  
Slave IO State: Waiting for master to send event  
OK: Slave SQL Running: Yes

Stop replication Slave

YCE database sync status

192.168.56.102 (shinobi.netyce.org): Secondary  
192.168.56.103 (kunoichi.netyce.org): Primary, Active

After about a minute (or more if a lot of data needs to be synced), the 'shinobi' report shows that the current database is once again 'shinobi' and the Primary is Active.

## Database status

### DSN

**OK:** Current DSN = DBI:mysql:YCE:host=192.168.56.102:mysql\_compression=1  
Current database server is 192.168.56.102 (shinobi.netyce.org)

### YCE replication status

**OK:** Replication operational  
**OK:** Replication up-to-date  
Remote database: 192.168.56.103 (kunoichi.netyce.org)  
Replicating databases: YCE,NMS  
Ignoring databases: mysql,alerts  
**OK:** Slave IO Running: Yes  
Slave IO State: Waiting for master to send event  
**OK:** Slave SQL Running: Yes

### YCE database sync status

192.168.56.102 (shinobi.netyce.org): Primary, Active  
192.168.56.103 (kunoichi.netyce.org): Secondary

### YCE License status

**OK:** expire\_date: Current date 20140131 matches expire licence 20150101  
**OK:** modeled\_nodes: Current node count 240 matches node license UnLim  
**OK:** modeled\_ports: Current port count 6331 matches port license UnLim  
**OK:** version\_mask: Current version 5.3.2 matches version license 5

Note: During the database re-synchronization phase the active licenses may show a warning because license validation occurs only at large intervals. This situation will correct itself and has no repercussions because licenses are never hard enforced.

## Filesystems

The size and usage of the various filesystems mounted by the server are listed. It is the output of the command `df -h`.

### Filesystems

Filesystem	Size	Used	Avail	Use%	Mounted on
/dev/mapper/vg_kiwi-lv_root	5.5G	3.9G	1.4G	74%	/
tmpfs	499M	0	499M	0%	/dev/shm
/dev/sda1	485M	119M	341M	26%	/boot

## Process list

The YCE process list reports the process table of all YCE related processes. The top subsection all YCE daemon processes and their siblings. The bottom subsection all remaining 'yce'-owned processes as well



YCE Process list									
YCE daemons									
	root	4140	1	0	15:27	?	00:00:00	/opt/yce/lib/perl/bin/perl	/opt/yce/bin/yce_psmmon.pl --daemon
	root	23301	1	0	17:50	?	00:00:00	/bin/sh	/usr/bin/mysqld_safe --datadir=/var/opt/mysql --pid-file=/var/opt/mysql/mysql.pid
	yce	23794	23301	0	17:50	?	00:00:01	/usr/sbin/mysqld	--basedir=/usr --datadir=/var/opt/mysql --plugin-dir=/usr/lib64/mysql/plugin --user=yce --log-error=/var/opt/mysql/shinobi.netyce.org.err --pid-file=/var
	root	4739	1	0	15:27	?	00:00:03	/usr/sbin/httpd	
	yce	4837	4739	0	15:27	?	00:00:00	/usr/sbin/httpd	
	yce	5402	4739	0	15:34	?	00:00:00	/usr/sbin/httpd	
	yce	5404	4739	0	15:34	?	00:00:00	/usr/sbin/httpd	
	yce	5405	4739	0	15:34	?	00:00:00	/usr/sbin/httpd	
	yce	7783	4739	0	15:40	?	00:00:00	/usr/sbin/httpd	
	yce	16466	4739	0	16:32	?	00:00:00	/usr/sbin/httpd	
	yce	17971	4739	0	16:39	?	00:00:00	/usr/sbin/httpd	
	yce	17972	4739	0	16:39	?	00:00:00	/usr/sbin/httpd	
	yce	19547	1	0	16:49	?	00:00:00	/opt/yce/lib/perl/bin/perl	/opt/yce/bin/yce_skulker.pl
	yce	4708	1	0	15:27	?	00:00:05	/opt/yce/lib/perl/bin/perl	/opt/yce/bin/yce_sched.pl
	yce	4684	1	0	15:27	?	00:00:00	/opt/yce/lib/perl/bin/perl	/opt/yce/bin/yce_xch.pl
	yce	24546	1	26	17:55	?	00:00:00	/opt/yce/lib/perl/bin/perl	/opt/yce/bin/yce_xch.pl
YCE other processes									
	yce	5411	5409	0	15:34	?	00:00:11	sshd:	yce@pts/0
	yce	5412	5411	0	15:34	pts/0	00:00:00	-bash	
	yce	15561	15559	0	16:12	?	00:00:00	sshd:	yce@pts/2
	yce	15562	15561	0	16:12	pts/2	00:00:00	-bash	
	yce	15624	15622	0	16:15	?	00:00:00	sshd:	yce@notty
	yce	15625	15624	0	16:15	?	00:00:00	/usr/libexec/openssh/sftp-server	
	yce	18213	18211	0	16:39	?	00:00:00	sshd:	yce@pts/1
	yce	18214	18213	0	16:39	pts/1	00:00:00	-bash	
	yce	18787	5412	0	16:40	pts/0	00:00:00	tail -	
	f	apache_access_log	apache_error_log	automated	get_config	dbarchive.log	dbrestore.log	daemon_d_2403_and_2001_are_off	manual_get_config
	yce	19360	15562	0	16:49	pts/2	00:00:00	vim	bin/yce_skulker.pl
	yce	19846	19830	0	16:53	?	00:00:00	sshd:	yce@pts/3
	yce	19847	19846	0	16:53	pts/3	00:00:00	-bash	
	yce	19867	19847	0	16:53	pts/3	00:00:00	/usr/bin/mysql	--user=netyce --password=x xxxxxx
	yce	24535	7783	10	17:55	?	00:00:00	/opt/yce/lib/perl/bin/perl	/opt/yce/manager/system_status.pl

## YCE usage

The YCE usage section shows a snapshot of the most active processes of the ‘yce’ user. The output of the command `top -b -n 1 -u yce` is listed

YCE usage

top - 17:55:50 up 2:29, 4 users, load average: 0.10, 0.03, 0.01  
Tasks: 107 total, 1 running, 106 sleeping, 0 stopped, 0 zombie  
Cpu(s): 1.6%us, 0.8%sy, 0.0%ni, 97.2%id, 0.3%wa, 0.1%hi, 0.1%si, 0.0%st  
Mem: 1020344k total, 911828k used, 108516k free, 34896k buffers  
Swap: 2064376k total, 9124k used, 2055252k free, 225792k cached

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
4684	yce	20	0	227m	8812	1544	S	0.0	0.9	0:00.07	yce_xch.pl
4708	yce	20	0	147m	9244	1088	S	0.0	0.9	0:05.52	yce_sched.pl
4837	yce	20	0	305m	7760	1288	S	0.0	0.8	0:00.17	httpd
5402	yce	20	0	305m	7716	1232	S	0.0	0.8	0:00.07	httpd
5404	yce	20	0	305m	7748	1280	S	0.0	0.8	0:00.09	httpd
5405	yce	20	0	305m	7748	1276	S	0.0	0.8	0:00.02	httpd
5411	yce	20	0	99.9m	3796	796	S	0.0	0.4	0:11.50	sshd
5412	yce	20	0	105m	2112	1528	S	0.0	0.2	0:00.07	bash
7783	yce	20	0	305m	7772	1288	S	0.0	0.8	0:00.18	httpd
15561	yce	20	0	98.0m	1772	792	S	0.0	0.2	0:00.50	sshd
15562	yce	20	0	105m	1996	1528	S	0.0	0.2	0:00.06	bash
15624	yce	20	0	98.0m	1936	908	S	0.0	0.2	0:00.05	sshd
15625	yce	20	0	57680	2264	1604	S	0.0	0.2	0:00.00	sftp-server
16466	yce	20	0	305m	7700	1232	S	0.0	0.8	0:00.11	httpd
17971	yce	20	0	305m	7668	1212	S	0.0	0.8	0:00.02	httpd
17972	yce	20	0	305m	7680	1216	S	0.0	0.8	0:00.01	httpd
18213	yce	20	0	98.0m	1776	792	S	0.0	0.2	0:00.11	sshd
18214	yce	20	0	105m	2000	1528	S	0.0	0.2	0:00.02	bash
18787	yce	20	0	4108	620	508	S	0.0	0.1	0:00.04	tail
19360	yce	20	0	46936	4176	2688	S	0.0	0.4	0:00.16	vim
19547	yce	20	0	223m	9652	2664	S	0.0	0.9	0:00.92	yce_skulker.pl
19846	yce	20	0	98.0m	1788	792	S	0.0	0.2	0:00.58	sshd
19847	yce	20	0	105m	1960	1508	S	0.0	0.2	0:00.00	bash
19867	yce	20	0	102m	2804	2024	S	0.0	0.3	0:00.09	mysql
23794	yce	20	0	1571m	489m	7576	S	0.0	49.1	0:01.47	mysqld
24535	yce	20	0	143m	16m	3052	S	0.0	1.6	0:00.21	system_status.p
24546	yce	20	0	249m	21m	2616	S	0.0	2.1	0:00.28	yce_xch.pl
24642	yce	20	0	105m	1376	1188	S	0.0	0.1	0:00.00	sh
24643	yce	20	0	15024	1160	876	R	0.0	0.1	0:00.00	top

## Wiki updates

The NetYCE WIKI installation consists of two parts. The DokuWiki engine setup for NetYCE wiki's and the actual Wiki content. Both can be downloaded from this page and are **daily** updated. Normally, only the Wiki content part needs to be regularly downloaded and installed on your local YCE-server(s).

wiki-engine.bin  
yce-wiki.bin

these NetYCE wiki installation distribution files can be installed using the NetYCE web-based front-end using the Admin - System - System status page. After requesting the full report, locate the "Install Wiki distribution" button and click the Choose file button next to it. Select the downloaded file and confirm (or drag it onto the Choose file button). Then click the **Install Wiki distribution** button.

Both parts need to be installed this way.

### NOTE

*This front-end functionality is not yet available in the current releases. Within a few days the Wiki installation option, the URL configuration and the http-server setup options - required to access the*

Wiki - will become available in a NetYCE patch update. Alternatively, the manual process described on [Download WIKI installation files](#) can be used.

From:

<https://yce-wiki.netyce.com/> - **Technical documentation**

Permanent link:

<https://yce-wiki.netyce.com/doku.php/menu:admin:system:status>

Last update: **2021/10/22 06:40**

